

CORRES. CONTROL
INCOMING LTR NO.

00374 PRF 04

DUE DATE

ACTION

RECEIVED

2004 SEP -1 A 9:04

STATE OF COLORADO

Bill Owens, Governor

Douglas H. Benevento, Executive Director

CORRESPONDENCE
CONTROL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, ColoradoLaboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090Colorado Department
of Public Health
and Environment

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CARPENTER, M.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.	X	
NORTH, K.	X	
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.	X	
PIZZUTO, V.M.		
TUOR, N. R.	X	
WIEMELT, K.	X	
WILLIAMS, J. L.		
ZAHM, C.	X	

<http://www.cdphs.state.co.us>

August 30, 2004

Mr. Joe Legare

Director, Project Management Division

U.S. Department of Energy, Rocky Flats Project Office

10808 Highway 93, Unit A

Golden, CO 80403-8200

RE: Pre-Demolition Survey Report (PDSR) for Building 705 - Approval

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the PDSR for Building 705, Revision 0 dated August 17, 2004.

This PDSR was received on August 27, 2004. Based on the information contained in this PDSR, we are hereby approving the PDSR for Building 705.

As stated in this PDSR, Building 705 contained Beryllium contamination above the unrestricted release levels after decontamination/removal efforts, which was subsequently sprayed with a fixative to meet the unrestricted release levels. As such, and as indicated, though not specifically stated, it is our understanding that all wastes will be properly characterized, managed, and sent off-site for proper disposal and not recycled on site (Contact Record dated 7/29/04).

It is also our understanding, and as previously agreed in the Contact Record dated July 29, 2004, that appropriate beryllium monitoring will be conducted during demolition of B705.

If you have any questions regarding this correspondence please contact me at (303) 692-3367, or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP9/1/04
Date

By

Ref. Ltr. #


cc: Gary Morgan, DOE
Dave Shelton, KH
Steve Nesta, KH

Karen Wiemelt, KH
Mark Aguilar, EPA
Sam Garcia, EPA

DOE ORDER #

5400.1

Administrative Records Building T130G



ADMIN RECORD

B705-A-000011